

Pharmacy Batch Claim Transactions

This guide was developed to facilitate the submission of pharmacy claim transaction data by batch billing providers to the Department of Labor on behalf of their claimants. This guide is based upon the NCPDP Batch Transaction Standard Version 1.2 and the Telecommunication Standard Version D.0 but may contain some non-standard use of fields only as necessary to gather complete information. Except when noted as "non-standard usage", field formats and values are compliant with the NCPDP Data Dictionary and External Code List (ECL) dated November 2016.

The batch file will consist of 3 sections: the header, data, and trailer. The header and trailer must be present in every transmission.

Transaction Header - 1 per File
Transaction Detail Data - Up to 100,000 records per file
Transaction Trailer - 1 per File

Start of Text and End of Text is used to mark the beginning and ending of each record within a file. If a Processor wishes to send the Detail Records to an on-line system, the Start and End of Text fields can be used to easily feed into current real-time processing. The Start and End of Text fields are also used to delimit the records within the file since variable length Detail Records may be sent in the file.

Separator Characters

Segment Separator (hex character "1E", decimal "30") delineates each segment within the transaction.

A Group Separator (hex character "1D", decimal "29") denotes the start of each transaction in the transmission.

A Field Separator (hex character "1C", decimal "28") separates each field in a transaction's segments.

Each field has a unique identifier code that, when used in conjunction with the Field Separator, shows the start of a new field in the record (for example, FB refers to Field 511-FB, Reject Code).

Department of Labor Pharmacy Batch Claim Format NCPDP 1.2 Batch Standard

General Information

Payer Name: Department of Labor	Date: May 30, 2017
Plan Name/Group Name: Division of Federal Employee's Compensation	
Processor: Conduent	Help Desk: 1-866-664-5581
Effective as of: June 1, 2017	Version/Release Number: D.0/1.2

Required Transaction Header Section

Field	Field Name	M/R/RW	Type	Length	Value/Format
880-K4	Text Indicator	M	A/N	1	Start of text (Stx) = X'02'
701	Segment Identifier	M	A/N	2	ØØ=File Control (header)
880-K6	Transmission Type	M	A/N	1	T = Transaction
880-K1	Sender ID	M	A/N	24	MCO ID as assigned by CONDUENT
806-5C	Batch Number	M	N	7	Must be 7 numeric characters, must match trailer record.
880-K2	Creation Date	M	N	8	Format = CCYYMMDD
880-K3	Creation Time	M	N	4	Format = HHMM
702	File Type	M	A/N	1	P = Production T = Test
102-A2	Version /Release Number	M	A/N	2	12
880-K7	Receiver ID	M	A/N	24	CONDUENT
880-K4	Text Indicator	M	A/N	1	End of Text (Etx) = X'03'

Detail Data Record

Field	Field Name	M/R/RW	Type	Length	Value/Format
880-K4	Text Indicator	M*	A/N	1	Start of Text (Stx)=X'02'
701	Segment Identifier	M*	A/N	2	G1=Detail Data Record
880-K5	Transaction Reference Number	M*	A/N	10	<i>Determined by provider</i>
101-A1	BIN Number	M*	N	6	61ØØ84
102-A2	Version/Release Number	M*	A	2	DØ
103-A3	Transaction Code	M*	N	2	B1 = Billing B2 = Reversal B3 = Rebill

Field	Field Name	M/R/RW	Type	Length	Value/Format
104-A4	Processor Control Number	M*	A/N	10	DRWDPROD – for Prod claims DRWDACCP – for test claims
109-A9	Transaction Count	M*	A/N	1	1 = One Transaction (Only one claim occurrence per detail record is allowed in a batch)
202-B2	Service Provider ID Qualifier	M*	A/N	2	Ø1 = NPI
201-B1	Service Provider ID	M*	A/N	15	NPI or NCPDP Provider ID
401-D1	Date of Service	M*	N	8	CCYYMMDD
110-AK	Software Vendor Certification ID	M*	A/N	10	If no number is supplied, populate with zeros
111-AM	Segment Identification	M	A/N	2	Ø1 = Patient Segment
304-C4	Patient Date of Birth	R	N	8	CCYYMMDD
305-C5	Patient Gender Code	R	N	1	Ø = Not specified 1 = Male 2 = Female
310-CA	Patient First Name	R		12	
311-CB	Patient Last Name	R		15	
111-AM	Segment Identification	M*	A/N	2	Ø4 = Insurance Segment
302-C2	Cardholder ID	M*	A/N	20	Claimant Case Number
301-C1	Group ID	R*	A/N	15	OWCP1ØØØ
306-C6	Patient Relationship Code	RW	N	1	1 = Cardholder
111-AM	Segment Identification	M*	A/N	2	Ø7 = Claim Segment
455-EM	Prescription/Service Reference Number Qualifier	M*	A/N	1	1 = Rx Billing

Field	Field Name	M/R/RW	Type	Length	Value/Format
402-D2	Prescription/Service Reference Number	M*	N	12	Number assigned by the Pharmacy
436-E1	Product/Service ID Qualifier	M*	A/N	2	Ø3=National Drug Code Number
407-D7	Product/Service ID	M*	A/N	19	NDC Number
442-E7	Quantity Dispensed	R	N	7	9(7)V999
403-D3	Fill Number	R*	N	2	Ø =Original Fill 1-99=Number of refill
405-D5	Days Supply	R	N	3	
406-D6	Compound Code	RW	N	1	1=Not a compound 2=Compound
408-D8	Dispense as Written	RW	A/N	1	Ø = No Product Selection Indicated 1 = Substitution Not Allowed by Prescriber 8 = Substitution allowed – Generic drug not available in marketplace
414-DE	Date Prescription Written	R	N	8	CCYYMMDD
463-EW	Intermediary Authorization Type ID	RW	N	2	Type 99 = Other Override
464-EX	Intermediary Authorization ID	RW	N	7	CONDUENT assigned 7-digit ID
995-E2	Route of Administration	RW	A/N	11	New Field - replaces 452-EH from 5.1 Compound Segment SNOMED CT Values required for D.0

Field	Field Name	M/R/RW	Type	Length	Value/Format
111-AM	Segment Identification	M	A/N	2	Ø3 = Prescriber Segment
466-EZ	Prescriber ID Qualifier	R	A/N	2	Ø1= NPI 12=DEA Number
411-DB	Prescriber ID	R	A/N	15	NPI or Drug Enforcement Agency (DEA) Number
111-AM	Segment Identifier	M	A/N	2	Ø8 = DUR/PPS
473-7E	DUR/PPS Code Counter	RW	N	1	Required if DUR/PPS Segment is used
439-E4	Reason for Service Code	RW	A/N	2	Required when there is a conflict to resolve or reason for service to be explained (MAX 9) Code identifying the type of utilization conflict detected of the reason for the pharmacist's professional service
440-E5	Professional Service Code	RW	A/N	3	Required when there is a professional service to be identified (Max 9) Code identifying pharmacist intervention when a conflict code has been identified or service has been rendered.
441-E6	Result of Service Code	RW	A/N	2	Required when there is a result of service to be submitted (Max = 9) Action taken by a pharmacist in response to a conflict or the result of a pharmacist's professional service.
111-AM	Segment Identifier	M*	A/N	2	11= Pricing Segment
409-D9	Ingredient Cost Submitted	R	N	8	Format = s\$\$\$\$\$cc
412-DC	Dispensing Fee Submitted	RW	N		<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (43Ø - DU) calculation

481-HA	Flat Sales Tax Amount Submitted	<i>RW</i>	N	8	Required when there is sales tax applicable at the dispensing site
482-GE	Percentage Sales Tax Amount Submitted	<i>RW</i>	N	11	Required when there is sales tax applicable at the dispensing site
484-JE	Percentage Sales Tax Basis Submitted	<i>RW</i>	A/N	2	Required when there is a sales tax applicable at the dispensing site Value Ø1 = Gross Amount Due no longer valid
426-DQ	Usual and Customary Charge	<i>R</i>	N	8	S9(6)v99
430-DU	Gross Amount Due	<i>R*</i>	N	8	Format = s\$\$\$\$\$cc

Field	Field Name	M/R/RW	Type	Length	Value/Format
111-AM	Segment Identifier	M	A/N	2	1Ø = Compound Segment
450-EF	Compound Dosage Form Description Code	M	A/N	2	Ø1 = Capsule Ø2 = Ointment Ø3 = Cream Ø4 = Suppository Ø5 = Powder Ø6 = Emulsion Ø7 = Liquid 1Ø = Tablet 11 = Solution 12 = Suspension 13 = Lotion 14 = Shampoo 15 = Elixir 16 = Syrup 17 = Lozenge 18 = Enema
451-EG	Compound Dispensing Unit Form Indicator	M	N	1	1 = Each 2 = Grams 3 = Milliliters
447-EC	Compound Ingredient Component Count	M	N	2	Maximum = 25 Ingredients
488-RE	Compound Product ID Qualifier	M (Repeating)	A/N	2	Ø3 = National Drug Code (NDC)
489-TE	Compound Product ID	M (Repeating)	A/N	19	
448-ED	Compound Ingredient Quantity	M (Repeating)	N	10	
449-EE	Compound Ingredient Drug Cost	R	N		
880-K4	Text Indicator	M	A/N	1	End of Text (Etx)=X'03'

Trailer Record

Field	Field Name	M/R/RW	Type	Length	Value/Format
880-K4	Text Indicator	M	A/N	1	Start of Text (Stx) = X'02'
701	Segment Identifier	M	A/N	2	99 = File Trailer
806-5C	Batch Number	M	N	7	Matches Header
751	Record Count	M	N	10	
504-F4	Message	M	A/N	10	
880-K4	Text Indicator	M	A/N	1	End of Text (Etx)=X'03'